

METHOD FOR PROVIDING MOBILE TERMINAL WITH SOFTWARE  
KEYBOARD SUITABLE FOR LANGUAGE USED IN COUNTRY WHERE IT IS  
LOCATED

5      Field of the Invention

10      The present invention relates to a method for providing a  
mobile terminal with a software keyboard proper for the  
language used in a country where it is located in a mobile  
communications network providing global roaming, and a  
recording medium programmed by a computer to perform such  
method.

15      Prior Art of the Invention

20      Referring to Fig. 1 for illustrating the procedure of  
entering characters in a conventional mobile terminal, it is  
usually designed to provide a software keyboard to enter  
Korean and English characters including both numbers and  
symbols through the touch screen. In such conventional mobile  
terminal, when entering characters, a software keyboard stored  
in the mobile terminal is displayed in the touch screen at  
step 100. When the user presses the Korean/English conversion  
key in order to enter Korean or English characters at step 110,  
25      the English or Korean keyboard is displayed in the touch  
screen at step 121 or 122 according as the previous mode is  
for Korean or English language at step 120.

004727" 2364260

In addition, when the user enters the numeric conversion key at step 130, the numeric keyboard is displayed in the touch screen at step 140. Or otherwise, if entering the symbolic conversion key at step 150, the symbolic keyboard is displayed in the touch screen at step 160.

Thus entering characters, numbers or symbols at step 170, the enter key is finally pressed to send them through the base station to the server at step 180. If not pressing the enter key at step 180, the mobile terminal returns to step 110 for the user to begin again with the Korean/English conversion key.

However, such conventional method provides the user only with the Korean, English, numeric, or symbolic keyboards stored in the mobile terminal, and therefore he cannot enter the characters of the other languages except Korean and English.

#### Summary of the Invention

Therefore, it is an object of the present invention to provide a method for providing a mobile terminal with a software keyboard proper for the language used in a country where it is located in a mobile communications network providing global roaming, and a recording medium programmed by a computer to perform such method.

According to an aspect of the present invention, a method for providing a mobile terminal with a software keyboard proper for the language of a country where it is located in a mobile communications network providing global roaming,

comprises the steps of constructing a database on the information of multinational software keyboards in a server, transmitting the information on the location of the mobile terminal to the server, and transmitting the information on the proper software keyboard to the mobile terminal by ascertaining the country.

According to another aspect of the present invention, there is provided a recording medium programmed by a computer to perform a method for providing a mobile terminal with a software keyboard proper for the language of a country where it is located in a mobile communications network providing global roaming, which comprises the steps of constructing a database on the information of multinational software keyboards in a server, transmitting the information on the location of the mobile terminal to the server, and transmitting the information on the proper software keyboard to the mobile terminal by ascertaining the country.

#### Brief Description of the Drawings

The above and other objects and features of the instant invention will become apparent from the following description of preferred embodiments taken in conjunction with the accompanying drawings, in which:

Fig. 1 is a flow chart for illustrating the process of entering characters in a conventional mobile terminal;

Fig. 2 is a block diagram for illustrating a conventional

mobile communications network for applying the inventive method;

Fig. 3 is a flow chart for illustrating the inventive process of providing a mobile terminal with the software keyboard proper for the country where it is located; and

Figs. 4A and 4B are flow charts for illustrating the inventive process together with the process of entering characters.

#### Preferred Embodiment of the Invention

Hereinafter, preferred embodiments of the present invention will be described in detail with reference to the accompanying drawings.

Referring to Fig. 2, a mobile terminal 210 comprises a memory device for storing Korean/English software keyboard, numeric keyboard, and symbolic keyboard, circuit for transmitting the information on its location through a base station 220 to a mobile communications network 230 to a service server 240 or vice versa, a touch screen for displaying the information, a CPU for controlling the memory device to store information and the touch screen to display it.

The service server 240 includes an input device for inputting the information on the multinational software keyboards, a memory device for storing the information, and a CPU for controlling the entire functions thereof. It sends the information on the software keyboard proper for the country

where the mobile terminal is located through the mobile communication network 230 to the base station 220 to the mobile terminal 210.

Describing the process of providing the mobile terminal  
5 with a software keyboard proper for the language of the country where it is located in connection with Fig. 3, the service server firstly constructs the information on the multinational software keyboards at step 310. When the service server ascertains at step 320 the country where the mobile  
10 terminal is located by the location information received from the mobile terminal through the base station and mobile communications network, it sends the information on the keyboard proper for the language of the country through the mobile communications network to the base station to the  
15 mobile terminal 350.

Although the preferred embodiments of the invention have been disclosed for illustrative purpose, those skilled in the art will be appreciate that various modifications, additions and substitutions are possible, without departing from the  
20 scope and spirit of the invention as disclosed in the accompanying claims. In this case, when the user requests the information on the keyboard for the language of another country instead of the country where the mobile terminal is located at step 330, the service server retrieves and  
25 transmits it to the mobile terminal at step 360. Of course, if the mobile terminal sends a signal rejecting the information on a keyboard at step 340, the service server does not provide

the information on any keyboard until the mobile terminal requests the information on a keyboard at step 330 or stops the sending of the signal rejecting the information on a keyboard.

5 Describing in more detail the process of providing the mobile terminal with the keyboard proper for the country where the mobile terminal is located in connection with Figs. 4A and 4B, the service server firstly stores the information on the multinational keyboards at step 400, and receives the  
10 information of the country where the mobile terminal is located at step 401. Identifying the country at step 402, the service server transmits the information on the corresponding keyboard to the mobile terminal at step 403. Then, the mobile terminal stores the information on the keyboard, and displays  
15 it, at step 404.

However, if the user specifies a particular country except the country where he is located at step 405 to request the information on the keyboard of the particular country at step 406, the service server transmits it at step 407 to the  
20 mobile terminal to store and display the received information on the touch screen at step 408.

The information on the keyboard stored in the mobile terminal is used in the same way as shown in Fig. 1. Namely, when entering characters, the keyboard stored in the mobile  
25 terminal is displayed in the touch screen. When the user presses the Korean/foreign language conversion key in order to enter Korean or foreign language characters at step 409, the

Korean or foreign keyboard is displayed in the touch screen at step 411 or 412 according as the previous mode is for foreign or Korean language at step 410.

5 In addition, when the user enters the numeric conversion key at step 413, the numeric keyboard is displayed in the touch screen at step 414. Or otherwise, if entering the symbolic conversion key at step 415, the symbolic keyboard is displayed in the touch screen at step 416.

10 Thus entering characters, numbers or symbols at step 417, the enter key is finally pressed to send them through the base station to the server at step 419. If not pressing the enter key at step 418, the mobile terminal returns to step 405 for the user to begin again with the Korean/foreign language conversion key.

15 Although the preferred embodiments of the invention have been disclosed for illustrative purpose, those skilled in the art will be appreciate that various modifications, additions and substitutions are possible, without departing from the scope and spirit of the invention as disclosed in the  
20 accompanying claims.